抗Src抗体

Anti-Src antibody [Rabbit]

货号：RB9A37001026

产品描述

中文名称

Anti-Src 抗体（RB9A37001026）

英文名称

Anti-Src antibody [Rabbit]

别名

SRC1 SRC Proto-oncogene tyrosine-protein kinase Src Proto-oncogene c-Src pp60c-src p60-Src

靶点符号

SRC

产品类型

一抗

关键信息

宿主种属

Rabbit

克隆

Monoclonal

亚型

IgG

不含载体蛋白

No

反应种属

Mouse Rat Human

应用

IHC-P WB

免疫原

The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry	FlowCyt	Human	不推荐	1/10 - 1/1000	RB9A37007757 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/250 - 1/500	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Human	不推荐	-	-
Western blot	WB	Human	已验证	1/10000 - 1/50000	-
Flow Cytometry	FlowCyt	Mouse	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-	-
Immunoprecipitation	IP	Mouse	不推荐	-	-
Western blot	WB	Mouse	已验证	1/2000	-
Flow Cytometry	FlowCyt	Rat	不推荐	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-
Immunoprecipitation	IP	Rat	不推荐	-	-
Western blot	WB	Rat	已验证	1/2000	-

储存与纯化

形式
Liquid

存储溶液
pH: 7.2 - 7.4 Preservative: 0.05% Sodium azide Constituents: 50% Tissue culture supernatant, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 0.1% BSA

储存信息
Stable for 12 months at -20° C

纯度
Tissue culture supernatant

本产品仅供科研使用，不用于临床诊断。