血红蛋白ζ链+血红蛋白α链抗体

Anti-Hemoglobin subunit zeta + Hemoglobin subunit alpha antibody

货号：RB9A37001078

产品描述

中文名称
Anti-Hemoglobin subunit zeta + Hemoglobin subunit alpha抗体

英文名称
Anti-Hemoglobin subunit zeta + Hemoglobin subunit alpha antibody

别名
HBZ2 HBZ Hemoglobin subunit zeta HBAZ Hemoglobin zeta chain Zeta-globin HBA2 HBA1 Hemoglobin subunit alpha Alpha-globin Hemoglobin alpha chain

靶点符号
HBZ

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Human

应用
WB IHC-P

免疫原
The exact immunogen used to generate this antibody is proprietary information.

特异性
Mouse and rat tissues tested (lung and kidney) gave negative or low sensitivity staining in IHC-P. This antibody may not be suitable for IHC with mouse or rat samples. If you have any questions, please contact our Scientific Support team.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry	FlowCyt	Human	不推荐	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/250 - 1/500	Antigen retrieval is recommended. Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Human	不推荐	-	-
Western blot	WB	Human	已验证	1/1000 - 1/10000	-
Flow Cytometry	FlowCyt	Mouse	不推荐	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	预测反应	-	-
Immunoprecipitation	IP	Mouse	不推荐	-	-
Western blot	WB	Mouse	预测反应	-	-
Flow Cytometry	FlowCyt	Rat	不推荐	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	预测反应	-	-
Immunoprecipitation	IP	Rat	不推荐	-	-
Western blot	WB	Rat	预测反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.05% Sodium azide Constituents: 50% Tissue culture supernatant, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 0.1% BSA

储存信息
Stable for 12 months at -20° C

本产品仅供科研使用，不用于临床诊断。