抗METTL3抗体

Anti-METTL3 antibody (RB9A37012042

货号：RB9A37012042

产品描述

中文名称
重组Anti-METTL3抗体

英文名称
Anti-METTL3 antibody (RB9A37012042)

别名
MTA70 METTL3 N(6)-adenosine-methyltransferase catalytic subunit METTL3 Methyltransferase-like protein 3 N(6)-adenosine-methyltransferase 70 kDa subunit hMETTL3 MT-A70

靶点符号
METTL3

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat Human

应用
Flow Cyt (Intra) IP ICC/IF IHC-P WB

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	备注	推荐稀释

应用	应用代码	物种	验证状态	备注	推荐稀释
Flow Cytometry (Intracellular)	FlowCytIntra	Cat	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Cat	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cat	预测反应	-	-
Immunoprecipitation	IP	Cat	预测反应	-	-
Western blot	WB	Cat	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Cow	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunoprecipitation	IP	Cow	预测反应	-	-
Western blot	WB	Cow	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Dog	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Immunoprecipitation	IP	Dog	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Goat	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunocytochemistry/ Immunofluorescence	ICCIF	Goat	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Goat	预测反应	-	-
Immunoprecipitation	IP	Goat	预测反应	-	-
Western blot	WB	Goat	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Guinea pig	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Guinea pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Guinea pig	预测反应	-	-
Immunoprecipitation	IP	Guinea pig	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Western blot	WB	Guinea pig	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Horse	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Horse	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Horse	预测反应	-	-
Immunoprecipitation	IP	Horse	预测反应	-	-
Western blot	WB	Horse	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	RB9A37007757 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	-	1/1000
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.	1/500
Immunoprecipitation	IP	Human	已验证	-	1/50
Western blot	WB	Human	已验证	Milk recommended as blocking agent.	1/1000
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.	1/500
Immunoprecipitation	IP	Mouse	保证反应	-	-
Western blot	WB	Mouse	已验证	Milk recommended as blocking agent.	1/1000
Flow Cytometry (Intracellular)	FlowCytIntra	Pig	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	预测反应	-	-
Immunoprecipitation	IP	Pig	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Western blot	WB	Pig	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Primates	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Primates	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Primates	预测反应	-	-
Immunoprecipitation	IP	Primates	预测反应	-	-
Western blot	WB	Primates	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.	1/500
Immunoprecipitation	IP	Rat	保证反应	-	-
Western blot	WB	Rat	已验证	Milk recommended as blocking agent.	1/1000
Flow Cytometry (Intracellular)	FlowCytIntra	Sheep	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Sheep	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Sheep	预测反应	-	-
Immunoprecipitation	IP	Sheep	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Western blot	WB	Sheep	预测反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。